

AMENDMENT OF THE SPECIFICATION:

Please amend the Specification as follows:

On page 2, amend the first, third and last paragraphs as follows:

Since the development of the WWW and its enabling information file formats and communication protocols, a number of Internet-based advertising systems and networks have been developed and deployed in the world of consumer product and service advertising and promotion. Examples of commercially-available Internet-based advertising and promotion systems include: the Open Ad Stream™ (5.0) Internet Advertising Sales, Advertising-Management Software Technology And Media Services Network by RealMedia, Inc. (<http://www.realmedia.com>); the DoubleClick™ Internet Advertising Sales, Advertising-Management And Media Services Network by DoubleClick, Inc. (<http://www.doubleclick.com>) which employ its proprietary DART™ technology for collecting and analyzing audience behavior, predicting which ads will be most effective, measures ad effectiveness, and providing data for Web publishers and advertisers; the Adfusion™ Integrated Advertising Marketing, Sales and Management System by Adfusion, Inc. (<http://www.adfusion.com>) which integrates all phases of the media buying process including media research and planning, media inventory and yield management, secure online negotiation, the transaction execution, and tracking and post-campaign reporting; and the Promotions.com™ On-Line Promotion System by Promotions.com, Inc. (<http://www.promotions.com>) formerly Webstakes.com, which develops customized online promotions for clients providing technology and consulting services necessary to run the promotions on clients' own Web sites, and offering direct marketing e-mail services using a database of customer profiles.

US Patent No. 5,640,193 to Wellner discloses a system and method for accessing and displaying Web-based consumer product related information to consumers using a Internet-enabled computer system, whereby in response to reading a URL-encoded bar code symbol on or associated with a product, the information resource specified by the URL is automatically accessed and displayed on the Internet-enabled computer system. Current commercial

realizations of this general information access technique include the GoCode™ Print-to-Web Information Access System by GoCode, Inc. of Charleston, South Carolina (<http://www.gocode.com>). While this system and method enables access of consumer product information related information resources on the WWW by reading URL-encoded bar code symbols, it requires that custom URL-encoded bar code symbols be created, printed and applied to each and every physical product in the stream of commerce.

Like US Patent No. 5,978,773 to Hudetz, et al, WIPO Publication No. WO 98/03923 discloses the use of a UPC/URL database in order to translate UPC numbers read from consumer products by a bar code scanner, into the URLs of published information resources on the WWW relating to the UPC-labeled consumer product. Current commercial realizations of this general information access technique include: the PaperClick™ Print-To-Web Information Access System by Neomedia Technologies, Inc., of Fort Meyers, Florida (<http://www.paperclick.com>); the Barpoint.Com™ Wireless UPC-Driven Web-Based Consumer Product Information Access and Shopping Portal by Barpoint.com, Inc., of Fort Lauderdale, Florida (<http://www.barpoint.com>); the AirClic™ Wireless Print-to-Web Media Consumer Product and Service Information Access System by Airclie, Inc. of Blue Bell, Pennsylvania (<http://www.airclie.com>); the Cue-Cat™ Web-based Print-to-Media Product Information Access System by DigitalConvergence, Inc., of Dallas, Texas (<http://www.digitalconvergence.com>); the Quode™ Wireless Print-to-Web Media Consumer Product Information Access System by Quode.Com, Inc. of Fort Lauderdale, Florida (<http://www.qode.com>); et al.

On Page 18, amend the second and last paragraphs as follows:

Another object of the present invention is to provide an Internet-based consumer product marketing, merchandising and education/information system, wherein an Internet-Based Consumer Product Advertisement Marketing, Programming, Management and Delivery System enables advertisers (e.g. employed by a particular manufacturer or retailer or working as an advertising agent therefor) to perform a number of functions, namely: (i) register with the system; (ii) log onto the Advertisement Slot Marketing/Sales/Management Web Site (e.g. at <http://www.brandkeydisplay.com>) maintained by the system administrator or its designated

agent; (iii) view catalogs of physical and/or virtual CPI kiosks deployed within retail shopping environments by retailers, at which a registered advertiser can consider purchasing advertisement slots on manufacturer/retailer authorized kiosks (e.g. at a price set by the user activity characteristics of the kiosk periodically measured by the http and/or Applet server enabling the same); (iv) purchase advertisement slots on manufacturer/retailer authorized physical or virtual) CPI kiosks deployed in physical or electronic retail shopping space; (v) create, deploy and manage advertising campaigns over one or more physical and/or virtual kiosks deployed by retailers in retail space; and (vi) monitor the performance of kiosk-based advertising campaigns during execution, as required by client demands and prevailing business considerations, using any Web-enabled client subsystem.

Another object of the present invention is to provide an Internet-based consumer product marketing, merchandising and education/information system, wherein an Internet-Based Consumer Product Promotion Marketing, Programming, Management and Delivery System enables promoters (e.g. employed by a particular retailer or manufacturer or working as an promotional agent therefor) to perform a number of functions, namely: (i) register with system; (ii) log onto the Promotion Slot Marketing/Sales/Management Web Site ~~(e.g. at <http://www.brandkeypromote.com>)~~ maintained by the system administrator or its designated agent; (iii) view catalogs of physical and/or virtual CPI kiosks deployed within retail shopping environments by retailers, at which a registered promoter can consider purchasing or otherwise acquiring promotion slots on manufacturer/retailer authorized kiosks (e.g. at a price set by the user activity characteristics of the kiosk periodically measured by the http and/or Applet server enabling the same); (iv) purchase or otherwise acquire (product sales) promotion slots on manufacturer/retailer authorized physical or virtual kiosks deployed in retail shopping space; (v) create, deploy and manage product promotion campaigns over one or more physical and/or virtual kiosks deployed by retailers (or manufacturers) in retail space; and (vi) monitor the performance of kiosk-based promotion campaigns as required by client demands and prevailing business considerations, using any Web-enabled client subsystem.

On Page 37, amend the first and third paragraphs as follows:

Another object of the present invention is to provide an Internet-Based Consumer Product Advertisement Marketing, Programming, Management and Delivery System enables advertisers (e.g. employed by a particular manufacturer or retailer or working as an advertising agent therefor) to perform a number of functions, namely: (i) register with the system; (ii) log onto the Advertisement Slot Marketing/Sales/Management Web Site ~~(e.g. at <http://www.brandkeydisplay.com>)~~ maintained by the system administrator or its designated agent; (iii) view catalogs of physical and/or virtual CPI kiosks deployed within retail shopping environments by retailers, at which a registered advertiser can consider purchasing advertisement slots on manufacturer/retailer authorized kiosks (e.g. at a price set by the user activity characteristics of the kiosk periodically measured by the http and/or Applet server enabling the same); (iv) purchase advertisement slots on manufacturer/retailer authorized physical or virtual) CPI kiosks deployed in physical or electronic retail shopping space; (v) create, deploy and manage advertising campaigns over one or more physical and/or virtual kiosks deployed by retailers in retail space; and (vi) monitor the performance of kiosk-based advertising campaigns during execution, as required by client demands and prevailing business considerations, using any Web-enabled client subsystem.

Another object of the present invention is to provide an Internet-Based Consumer Product Promotion Marketing, Programming, Management and Delivery System which enables promoters (e.g. employed by a particular retailer or manufacturer or working as an promotional agent therefor) to perform a number of functions, namely: (i) register with system; (ii) log onto the Promotion Slot Marketing/Sales/Management Web Site ~~(e.g. at <http://www.brandkeypromote.com>)~~ maintained by the system administrator or its designated agent; (iii) view catalogs of physical and/or virtual CPI kiosks deployed within retail shopping environments by retailers, at which a registered promoter can consider purchasing or otherwise acquiring promotion slots on manufacturer/retailer authorized kiosks (e.g. at a price set by the user activity characteristics of the kiosk periodically measured by the http and/or Applet server enabling the same); (iv) purchase or otherwise acquire (product sales) promotion slots on manufacturer/retailer authorized physical or virtual kiosks deployed in retail shopping space; (v) create, deploy and manage product promotion campaigns over one or more physical and/or virtual kiosks deployed by retailers (or manufacturers) in retail space; and (vi) monitor the

performance of kiosk-based promotion campaigns as required by client demands and prevailing business considerations, using any Web-enabled client subsystem.

On Page 59, amend the fourth paragraph as follows:

Figs. 4T1 and 4T2 set forth graphical illustrations of Internet browser display screens that might be displayed on a client computer subsystem hereof while a consumer is reviewing the performance chart of a particular consumer product company displayed at a particular on-line electronic trading WWW site (e.g. <http://www.etrade.com>) considering whether or not to buy, keep or sell securities (e.g. stock or bonds) in this consumer product company, and eventually requests specific information about the company's products by initiating a trademark/company name-directed CPI search according to the principles of the present invention by clicking on the HTML tag of a trademark/company name-encoded CPIR-enabling Applet embedded within the HTML code of the displayed performance chart.

On Page 76, amend the last paragraph as follows:

In order to use the WebDox™ system, each remote Client Computer System 13 includes either a Windows 95 or Windows NT Computer system running WebDox Remote™ software from Premenos Corporation of Concord, California. The Windows 95 or Windows NT computer system 13 can be realized using a suitable computer system having an Intel 486 or higher CPU, 16 MB of RAM or higher, and a VGA monitor or better, and running (i) Microsoft Windows 95 or Windows NT 3.51 or higher Operating System (OS) software, and (ii) Microsoft Internet Explorer 3.0 or higher from Microsoft Corporation. Also, the WebDox Remote™ Server is provided with a dial-up Internet connection (i.e. 14,400 bps or better) to the Internet infrastructure. The function of the Web-based Document Server 30, Web-based Administration System 31 and remote client subsystems 13 running the Premenos® WebDox Remote™ software is to provide a Web-based Document Transport System for automatically transferring information (e.g. UPN/TM/PD/URLs) from manufacturers to the IPD Servers of the system in order to periodically update the same. While the illustrative embodiment of this Web-based Document Transport System has been described in terms of its implementation using the

WebDox™ system from Premenos, it is understood that other commercially available electronic document transport systems (e.g. COMMERCE: FORMS™ Electronic Business Forms Package from Sterling Commerce, Inc., ~~http://www.stercomm.com~~) can be used to carry out this subsystem. The operation of this Web-Based Document Transport System will be described in detail hereinafter with respect to the collection and delivery of consumer product-related information to the IPDs hereof.

On Page 82, amend the last paragraph as follows:

In the first illustrative embodiment shown in Fig. 2B1, Java (enabled) Web Server 11' can be realized by, for example, the Origin 200 Server or the O₂ Desktop Workstation from Silicon Graphics, Inc, a high-end SUN information server from Sun Microsystems, Inc., or any other suitable computing machine, running: (1) JDBC Interface software for providing a uniform access to a wide range of relational databases on RDBMS server 9 (if necessary in a particular application of the system hereof) and providing a common base on which higher level tools and interfaces can be built; and (2) a servlet-enabled Web (http) server software program such as, the Java Web Server (JWS) 1.0 or later from JavaSoft, division of Sun Microsystems, Inc., or the JigSaw Web Server from the World Wide Web Consortium, each proving native Java support, or alternatively, the Fastrak™ Web (http) server from Netscape Communications, Inc., the Internet Information Server (IIS) from the Microsoft Corporation, the Apache HTTP Server from The Apache Software Foundation at ~~http://www.apache.org~~, or any other http server capable of transporting HTML-encoded documents, in conjunction with the Java Servlet Developer's Kit from JavaSoft, or the Servlet Express Tool from IBM Research Labs in Haifa, Israel, for managing servlets on Web servers lacking native Java support. In order to develop servlets, the Java Web Server 11' should also be equipped with the following software tools: the Sun Java Developers Kit 1.1.x from Sun Microsystems, Inc.; and the Java Servlets Development Kit (JDSK) from Sun Microsystems, Inc., or a Java Development Environment that supports JDK 1.1.x, such as VisualAge for Java by IBM, Microsoft's Visual J++, or the like. Optionally, the Java Web Server 11' may also include Web-site development software (e.g. based on the HTML 3.2 or 4.0 Specification) for creating and maintaining the IPI Web-sites of the present invention, although such tools will be typically run on client subsystem 13 for practical reasons.

On Page 84, amend the first and second paragraphs as follows:

In principle, there can be millions of IPI Servers 12 within the system hereof, each enabled to serve Web-based documents containing consumer product related information. Notably, each such IPI Server 12 can be realized by, for example, the Origin 200 Server from Silicon Graphics, Inc, the O2 Desktop Workstation from Silicon Graphics, Inc., the ULTRA™ information server from Sun Microsystems, Inc., or any other computing machine (e.g. desktop, palmtop, laptop, etc.) running an operating system (e.g. UNIX, LINUX, Macintosh, MS Windows, NT, etc.) capable of performing the functions of an Internet (http) information server in a client-server distributed object computing environment. As shown in Figs. 2-1 and 2-2, each IPI Server 12 is interfaced with an ISP 10A in a conventional manner. Each such IPI Server 12 is assigned a static IP address and a unique domain name on the Internet. Each IPI Server 12 is also provided with (i) Web-site development software for creating HTML-encoded multi-media pages for Web-site development, (ii) a dynamic web-site auction hosting software solution, such as, AuctionNow 4.2 from OpenSite, Inc. at <http://www.opensite.com>; and (iii) Web-site server software for supporting HTTP and serving HTML, XML and other document formats used to construct hypermedia-type Web-sites containing product related information of a multi-media nature. Such Web sites can be expressed in HTML, XML, SGML and/or VRML or any other suitable language, which allows for Web-site construction and Web-site connectivity. Web-site management software can be used to maintain correct hyper-links for any particular Web site. Preferably, the IPI Servers 12 is maintained by a team of network managers under supervision of one or more webmasters.

Each retailer-related electronic-commerce (EC) information server 12A indicated in Figs. 2-1 and 2-2 is operably connected to the infrastructure of the Internet. In general, each retailer-related information server 12A can be realized by, for example, the Origin 200 Server or O2 Desktop Workstation from Silicon Graphics, Inc., a high-end information server from Sun Microsystems, Inc., or any other computing machine that can perform the function of a Server in a web-based, client-server type computer system architecture of the illustrative embodiment. As shown in Figs. 2-1 and 2-2, each retailer-related EC-enabled information server 12A is interfaced with an ISP 10A in a conventional manner, and is assigned a static IP address and a unique

domain name on the Internet. Each retailer-related EC-enabled information server 12A is also provided with: (i) Java-enabled WWW (http) server software, such as Netscape Communications Fastrak Information Server software, for supporting http, ftp, XML/ICE and other Internet protocols, and serving HTML and XML formatted documents (i.e. pages) associated with Web-sites containing product related information of a multi-media nature; (ii) an advanced EC-enabled product merchandising software solution, such as the Host and Merchant (or Enfinity) Intershop 4 E-Commerce Server Solution from Intershop Communications, Inc., of San Francisco, California, and/or catalogMANAGER® and catalogMAKER® software programs from ReaEDI, Inc. of Sherman Oaks, California, for building, managing and operating all aspects of e-commerce WWW sites, whether implementing on-line merchandising solutions for retailers and manufacturers, creating business-to-business and business-to-consumer product catalogs; (iii) an Internet Advertisement Management Software Solution, such as OPEN ADSTREAM™ Internet AD management software solution by REAL-MEDIA, Inc. of New York, New York), for managing all aspects of Internet advertising on Internet information servers; (iv) a dynamic web-site auction hosting software solution, such as, AuctionNow 4.2 from OpenSite, Inc. at <http://www.opensite.com>; and optionally (v) Web-site development software for enabling the creation of HTML-encoded multi-media pages and the like for the EC-enabled Web-site development. Such EC-enabled Web-sites can be expressed in HTML, XML and/or VRML or any other suitable language, which allows for Web-site construction and Web-site connectivity. Web-site management software can be used to maintain correct hyper-links for any particular Web site. Preferably, each EC-enabled retailer-related server 12A is maintained by a team of network managers under supervision of one or more webmasters. The primary function of each retailer-related EC information server 12A is to enable the hosting of one or more EC-enabled stores or EC-enabled on-line catalogs (i.e. WWW sites) owned, operated, managed and/or leased by one or more retailers, (and optionally wholesalers and manufacturers as well) along the retail supply and demand chain. The use of the Intershop 4 Hosting and Merchant E-commerce software solution enables sellers to design and build dynamic environments for buyers and sellers by enabling sellers (i.e. vendors) to: (1) create a unique look and feel for their e-commerce sites using a Web browser; (2) fully customize their e-commerce sites to maximize the buyers experience, using an import/export function for easily importing existing product databases and site design directly into the Intershop; (3) build detailed profiles

of buyers and present them with products that match these profiles, creating a personalized shopping experience; and (4) offer complementary products for sale based on current selections, thereby raising the overall value of each e-commerce transaction carried out. Also, the back-office portion of the Intershop 4 E-commerce Solution is intuitively organized to make it easy for sellers to manage their on-line business through a Web browser.

On Page 85, amend the first paragraph as follows:

Each manufacturer-related electronic-commerce (EC) information server 12B indicated in Figs. 2-1 and 2-2 is operably connected to the infrastructure of the Internet. In general, each manufacturer-related EC information server 12B can be realized by, for example, the Origin 200 Server from Silicon Graphics, Inc., the O2 Desktop Workstation from Silicon Graphics, Inc., the ULTRA™ information server from Sun Microsystems, Inc., or any other computing machine that can perform the function of an http server in a client-server distributed object-computing environment. As shown in Figs. 2-1 and 2-2, each manufacturer-related EC-enabled information server 12B is interfaced with an ISP 10A in a conventional manner, and is assigned a static IP address and a unique domain name on the Internet. Each manufacturer-related EC-enabled information server 12B is also provided with: (i) Java-enabled WWW (http) server software, such as Netscape Communications FastTrak Information Server software, for supporting http, ftp, and other Internet protocols, and serving HTML and XML formatted documents (i.e. pages) associated with Web-sites containing product related information of a multi-media nature; (ii) an advanced EC-enabled product merchandising software solution, such as the Host and Merchant Intershop 4 E-Commerce Server Solution from Intershop Communications, Inc., of San Francisco, California, and/or catalogMANAGER® and catalogMAKER® software programs from RealEDI, Inc. of Sherman Oaks, California, for building, managing and operating all aspects of e-commerce WWW sites, whether implementing on-line merchandising solutions for retailers and manufacturers, or creating business-to-business and business-to-consumer product catalogs; (iii) an Internet Advertisement Management Software Solution, such as OPEN ADSTREAM™ Internet AD management software solution by REAL-MEDIA, Inc. of New York, New York), for managing all aspects of Internet advertising on Internet information servers; (iv) a dynamic web-site auction hosting software solution, such as, AuctionNow 4.2

from OpenSite, Inc. at ~~http://www.opensite.com~~; and optionally (v) Web-site development software for enabling the creation of HTML-encoded multi-media pages and the like for the EC-enabled Web-site development. Such EC-enabled Web-sites can be expressed in HTML, XML, SGML and/or VRML or any other suitable language which allows for Web-site construction and Web-site connectivity. Web-site management software can be used to maintain correct hyperlinks for any particular Web site. Preferably, each EC-enabled manufacturer-related server 12B is maintained by a team of network managers under supervision of one or more webmasters. The primary function of each manufacturer-related EC information server 12B is to enable the hosting of one or more EC-enabled stores or EC-enabled on-line catalogs (i.e. WWW sites) owned, operated, managed and/or leased by one or more manufacturers, (and optionally wholesalers and retailers as well) along the retail supply and demand chain.

On Page 93, amend the last paragraph as follows:

Alternatively, each network information server 84 can be realized using the Whistle INTERJET II network information server solution from IBM as a turnkey solution for the network information server 84 on the retail store LAN 80. ~~Details on the Whistle INTERJET II server can be found at <http://www.whistle.com>, incorporated herein by reference.~~ This implementation can support up to hundred (100) bar code driven kiosks on a retail store LAN of the present invention, and in some applications, it may be desirable to modify the e-mail software provided thereon in order to achieve the business objectives of any particular application. It is understood, however, that in many application, in which advertisements, prices and specials, notices and the like are to be displayed on the kiosks during idle moments (i.e. when consumers are not scanning bar coded products for consumer product related information access and display), there will be a need to use a more robust electronic messaging and http server solutions on the retailer's network information server 84.

On Page 123, amend the second paragraph as follows:

Notably, in the HTML 4.0 Specification, published by the World Wide Web Consortium at ~~<http://www.w3.org/TR/WD-html40-970917/>~~, the Applet element has been deprecated in

favor of the OBJECT element, which offers an all purpose solution to generic object inclusion. The HTML 4.0 Specification now allows the OBJECT element to include images (via the tag) and Applets (via the <APPLET> tag) in the same manner. Thus, when constructing Web documents and CPIR-enabling Applets in accordance with the HTML 4.0 Specification, the source code for each CPIR-enabling Applet will adhere to an entirely different syntax, the details of which are set forth which in the HTML 4.0 Specification, supra, incorporated herein by reference.

On Page 132, amend the second paragraph as follows:

The RMI on Java Web Server 11'''' enables connectivity between Java Web Server 11'''' and the RDBMS Server 9 using the standard Java native method interface (JNI) or the standard JDBC package. At its most basic level, RMI is Java's remote procedure call (RPC) mechanism enabling connectivity to the RDBMS server 9 using native methods. Further details on the RMI are published in the Technical Paper "Java Remote Method Invocation -Distributed Computing For Java" by JavaSoft, ~~set forth at~~ <http://www.javasoft.com/marketing/collateral/javarmi.html>, incorporated herein by reference.

On Page 137, amend the second paragraph as follows:

Referring to Figs. 4Q1 through 4Q2, the above-described method of CPI display is illustrated in the context of a consumer visiting an on-line EC-enabled auction site (e.g. at <http://www.ebay.com>), and considering whether or not to place a bid on a particular consumer product displayed within the auction listings thereof. In general, this environment is similar to the situation where a consumer finds him/herself searching for consumer product information at a WWW Search Directory or Engine, such as Yahoo, Excite, Alta Vista, Lycos, etc. In such an environment, it will be desirable for the consumer to search against all manufacturers within the entire UPN/TM/PD/URL RDBMS 9 before returning the search results to the consumer for display. Therefore, in this sort of Cyberspace environment, it will be oftentimes desirable to embed a CPIR-enabling Applet in the home-page of the WWW on-line auction site so that, upon clicking the graphical icon thereof, an independent Java GUI to the BRANDKEY REQUEST

CENTRAL™ WWW site will be automatically produced so that all modes of searching are made available to the consumer against all manufacturers registered (and possibly unregistered) within the UPN/TM/PD/URL RDBMS 9, as shown in Fig. 4Q2. Notably, this Java GUI is very similar to the Java GUI set forth in Fig. 3C.

On page 138, amend the first paragraph as follows:

Referring to Figs 4S1 through 4S2, the above-described method of CPI searching and display is illustrated in the context of a consumer visiting a typical WWW site (~~e.g. the Applicant's Intellectual Property Law Firm at <http://www.tjpatlaw.com>~~), whereupon an Internet advertisement is presented for a particular consumer product, solely for illustrative purposes. At this point of presence on the WWW, the consumer might very well like to review information published on the WWW relating to the advertised consumer product. Therefore, in this sort of Cyberspace environment, it will also be desirable to embed a CPIR-enabling Applet within, closely near, or immediately about the space of the advertisement so that, upon clicking the image associated thereof, a "BRANDKEY REQUEST" URL Search will be automatically carried out within the UPN/TM/PD/URL RDBMS 9, and the search results thereof displayed in a CPID-enabling Java GUI, as shown in Fig. 4S2. As shown, this Java GUI displays a menu-formatted list of categorized URLs that have been symbolically linked to the UPN of the advertised consumer product on which the search inquiry was initiated. Typically, this categorized menu of URLs, accessed from the UPN/TM/PD/URL RDBMS 9, would have been updated as early as the night before UPN/TM/PD/URL link updating/management operations carried out in the manner described hereinabove.

On Page 139, amend the second paragraph as follows:

Referring to Figs 4T1 through 4T2, the above-described method of CPI searching and display is illustrated in the context of a consumer visiting a particular on-line electronic trading WWW site (~~e.g. <http://www.etrade.com>~~). At this site, the consumer is assumed to be reviewing the performance chart of a particular consumer product company displayed at this electronic trading WWW site, and is considering whether or not to buy, keep or sell securities (e.g. stock or

bonds) in this consumer product company. At this point of presence on the WWW, the consumer decides that he or she would like to first ascertain specific information about the company's products by initiating a trademark/company name-directed CPI search according to the principles of the present invention. In accordance with the present invention, the consumer, upon identifying a CPIR-enabling Java Applet (embedded within the HTML code of the performance chart displayed at the on-line electronic trading WWW site), would click thereon. In the illustrated embodiment, the CPIR-enabling Applet is graphically indicated by an associated graphical image (e.g. BRANDKEY REQUEST™ Trademark-Directed URL Search) and is encoded with the trademark an/or company name of a particular manufacturer/vendor associated with the display performance chart. Notably, the creation, distribution and embedding of such CPIR-enabling Applets must be carried out well in advance of the consumer arriving at the particular point of presence shown in Fig. 4T1. In accordance with the principles of the present invention, when the consumer performs a single mouse-clicking operation on the graphical image associated with the embedded CPIR-enabling Java Applet, the underlying CPIR-enabling Applet is executed and a trademark-directed URL search is automatically made against the UPN/TM/PD/URL RDBMS 9 hereof. Quickly thereafter, the results from the trademark/company name directed search are automatically displayed in a Java GUI on the browser of the requesting consumer's client machine, as shown in Fig. 4T2. As shown, the consumer is free to scroll through the displayed GUI, looking for URLs on particular consumer products of the manufacturer/vendor.

On Page 149, amend the second paragraph as follows:

Another way of realizing this UPN/TM/PD/URL linking function is to provide the enterprise of each manufacturer with a consumer product information catalog subsystem (RDBMS) 450 (shown in Fig. 2C) for storing and managing media-rich consumer product information content relating to each and every UPN-indexed product that the manufacturer makes, sells and/or distributes to retailers along the retail supply and demand chain. As shown in Fig. 2C, such a consumer product information management database subsystem 450 can be realized as a standalone database application supported on one or more client machines operably connected to the LAN or WAN of the manufacturer's enterprise, and or as a network database

information server connected to the LAN or WAN and being accessible to various consumer product information managers working within the manufacturer's enterprise, and using Web-enabled client machines (e.g. 13, 202) to carry out consumer product information content management operations across the enterprise, most likely under the supervision of one or more consumer product brand-managers, responsible for branding of such consumer products. The consumer product information management database subsystem 450 can be constructed using commercially-available catalog software such as, for example, Lexmedia Catalog Pro™ (Regular, Sales Force or Distributor Edition) catalog software, Lexmedia Catalog Pro Express™ catalog software, and/or Lexmedia Catalog Showcase™ catalog software, from Lexmedia Corporation, of Fairfield, CT, (~~http://www.lexmedia.com/catalog-software.asp~~), suitably modified using database structures and data linking techniques of the present invention disclosed herein, and database programming techniques and electronic data interchange (EDI) or communication techniques well known in database construction and data communication arts. The consumer product information management database subsystem (RDBMS) 450 will permit storage of all major information file formats including multimedia files such as MPEG, AVI, MP3, JPEG, GIF, Web Pages (HTML), CAD Drawings, PDF files, and the like.

On Page 185, amend the second and third paragraphs as follows:

In the Web-Based Consumer Product Promotion Marketing, Programming, Management and Delivery Subsystem 503, the primary function of the Web-based CPI Kiosk Promotion Marketing/Sales/Management Server 508 is to enable promoters (e.g. employed by a particular retailer or manufacturer or working as an promotional agent therefor) to perform a number of functions, namely: (1) register with system 2'; (2) log onto the CPI Kiosk Promotion Marketing/Sales/Management Web Site (~~e.g. at http://www.brandkeypromote.com~~) maintained by the system administrator or its designated agent; (3) view catalogs of physical and/or virtual CPI kiosks deployed within retail shopping environments by retailers, at which a registered promoter can consider purchasing or otherwise acquiring promotion slots on manufacturer/retailer-authorized CPI kiosks (e.g. at a price set by the user activity characteristics of the kiosk periodically measured by the http and/or Applet server enabling the same); (4) purchase or otherwise acquire (product sales) promotion slots on manufacturer/retailer

authorized physical or virtual CPI kiosks deployed in retail shopping space; (5) create, deploy and manage product promotion campaigns over one or more physical and/or virtual kiosks deployed by retailers (or manufacturers) in retail space; and (6) monitor the performance of kiosk-based promotion campaigns as required by client demands and prevailing business considerations, using any Web-enabled client subsystem.

In the illustrative embodiment, the primary function of each Consumer Product Advertising Web Server 509 is to enable the publication of Internet-based product advertisements (e.g. QuickTime® videos from Adobe, Inc., Superstitial™ rich media advertisements from Unicast communications, Inc., <http://www.unicast.com>, etc.) for delivery to subnetworks of physical and virtual CPI kiosks in accordance with the principles of the present invention. As described in great detail hereinabove, these Web-based kiosk advertisements can be created by the registered advertiser using powerful authoring tools well know in the digital creation arts.

On Page 186, amend the first paragraph as follows:

In the illustrative embodiment, the primary function of the Consumer Product Promotion Web Server 510 is to enable the publication of Internet-based product promotions (e.g. QuickTime® videos from Adobe, Inc., Superstitial™ rich media promotions from Unicast communications, Inc., <http://www.unicast.com>, etc.) for delivery to subnetworks of physical and virtual CPI kiosks in accordance with the principles of the present invention. As described in great detail hereinabove, these Web-based kiosk promotions can be created by the registered promoter using powerful promotion authoring tools made available from the Web-based CPI Kiosk Promotion Marketing/Sales/Management Server 510, to be described in greater detail hereinafter.

On Page 188, amend the last paragraph as follows:

The purpose of transporting each such locally-managed UPN/TM/PD/URL RDBMS 512 to centralized UPN/TM/PD/URL RDBMS 9' is to enable distribution of its UPN/TM/PD/URL links to: (i) consumers and end-users within physical retail environments having access to a

plurality of physical CPI serving kiosks 513 driven by a plurality of Web (http) servers 519 operably connected to the infrastructure of the Internet, as shown in Fig. 13; (ii) consumers and end-users within electronic retail environments having access to a plurality of virtual CPI serving kiosks driven by a plurality of CPIR-enabling Java Applet servers 520 operably connected to the infrastructure of the Internet; and (iii) consumers and end-users interfaced with a plurality of Web-enabled client machines at home, school, in the office or on the road having access to a plurality of UPN-driven consumer product information portals (~~e.g. BrandKey Request Central WWW Site at <http://www.brandkeyrequestcentral.com>~~) on the WWW, driven by a plurality of mirrored http information servers 519B (operably connected to the infrastructure of the Internet) as shown in Fig. 13. Similarly, each registered advertising agent might be supplied with such UPN/TM/PD/URL LCMT software and participate in the creation, management, and transport of the manufacturer's UPN/TM/PD/URL RDBMS.

On Page 190, amend the second paragraph as follows:

As shown in Fig. 13, each Web-based (http) CPI kiosk server 519A has a statically assigned IP address, and an assigned domain name (~~e.g. <http://www.brandkeyrequestretail.com/northamerica/homedepot>~~). Preferably, each such CPI kiosk server 519A is assigned to a single barcode-driven/touch-screen-enabled LCD-based physical CPI kiosk 513, on which a retailer-oriented WWW site (at the assigned domain) is graphically displayed in the retailer's store 516. As shown in Fig. 13, the function of the advertisement/promotion spot queue 521 associated with each Web-based kiosk server 519A is together queuing up advertisement and promotion spots, ordered by registered advertisers, for either a random or ordered display on the particular physical CPI kiosk assigned to the Web-based kiosk server 519A.

On Page 191, amend the fourth paragraph as follows:

As shown in Fig. 13, each Web-based (http) portal information server 519B has a statically assigned IP address, and an assigned domain name (~~e.g. <http://www.brandkeyrequestcentral.com/northamerica/english>~~). The primary function of the

Web information server 519B is to serve up to the public, in different languages, barcode-drivable CPI portal WWW sites, at which the entire UPN/TM/PD/URL RDBMS 9' is searchable by members of the public without the restriction of MIN filters, UPN filters and/or trademark (TM) filters which are applied to retail-based CPI kiosks for the purpose of preserving the goodwill embodied within manufacturer-retailer relationships along the retail chain, as discussed hereinabove.

On Page 208, amend the first paragraph as follows:

As illustrated in Fig. 16A, the web-based manufacturer registration and UPN/TM/PD/URL link creation, management and transport server 505 is made accessible to manufacturers (e.g. marketing, brand and/or product managers, and other support personnel) through a Web-based GUI ~~(e.g. located on the WWW at <http://www.brandkeysystems.com/brandkeyrequest/manufacturers>)~~ 574, using any Web-enabled client computer subsystem 13. An exemplary GUI for this subsystem 501 is illustrated in Fig. 16A. As shown therein, the GUI 574 for subsystem 501 can be realized as a Netscape-style three frame display framework, comprising: a thin upper horizontal display frame 575 containing a graphical image indicating the name of the WWW site (e.g. "BrandKey Create™ System For Manufacturers" <http://www.brandkeycreate.com>) at which subsystem 501 is located; a thin horizontal control frame 576 having a set of buttons 577A through 577E for enabling the above-described functions provided by subsystem 501; and a large information display frame 578 for displaying HTML-encoded pages used to construct the graphical interfaces associated with the various functions provided by this subsystem.

On Page 215, amend the first paragraph as follows:

In the illustrative embodiment, these functions are supported by the CPI kiosk ordering/configuration/deployment/management server 506 which is made accessible to retailers (e.g. regional, district and/or store managers) through a Web-based GUI ~~(e.g. located on the WWW at <http://www.brandkeysystems.com/brandkeyrequest/retailers>)~~, using any Web-enabled client computer subsystem 13. An exemplary GUI for this subsystem 506 is illustrated in Fig.

20A. As shown therein, the GUI for subsystem 506 can be realized as a Netscape-style three frame display framework 580, comprising: a thin upper vertical display frame 581 containing a graphical image indicating the name of the WWW site (e.g. "BrandKey Request Administration For Retailers") at which subsystem 506 is located; a thin horizontal control frame having a set of buttons 583A-583G for enabling the various functions provided by subsystem 506; and a large information display frame 584 for displaying HTML-encoded pages used to construct the graphical interfaces associated with the various functions provided by this subsystem.

On Page 221, amend the last paragraph as follows:

In the illustrative embodiment, these functions are supported by the CPI kiosk ordering/configuration/deployment/management server 506 which is made accessible to manufacturers (e.g. marketing, brand and/or product managers, and other support personnel) through a Web-based GUI ~~(e.g. located on the WWW at <http://www.brandkeysystems.com/brandkeyrequest/manufacturers>)~~, using any Web-enabled client computer subsystem. An exemplary GUI 610 for subsystem 506 in this mode of operation is illustrated in Fig. 20B. As shown therein, the GUI for subsystem 506 can be realized as a Netscape-style three frame display framework, comprising: a thin upper horizontal display frame 611 containing a graphical image indicating the name of the WWW site (e.g. "BrandKey Request For Manufacturer") at which subsystem 506 is located; a thin horizontal control frame 612 having a set of buttons 612A through 612D for enabling the various functions provided by subsystem 506; and a large information display frame 613 for displaying HTML-encoded pages used to construct the graphical interfaces associated with the various functions provided by this subsystem 504.

On Page 224, amend the first paragraph as follows:

From the consumer's point of view, most information services designed therefor will be accessed within a registered retailer's store, and/or on the WWW. However, the WWW site ~~(e.g. <http://www.brandkeysystems.com/consumers>)~~ providing consumers access to consumer-related information services provided by subsystem 504 will also contain consumer-related directories

specifying the location of physical and virtual CPI kiosks deployed within the system. Based on such directories, the consumer can quickly access physical and/or virtual CPI kiosks of interest and seek UPN/TM/PD/URL link records on consumer products in which the consumer is interested.

On Page 226, amend the first paragraph as follows:

In the illustrative embodiment, these functions are supported by the product Kiosk Advertisement Marketing/Sales/Management (http) server 507 which is made accessible to advertisers (e.g. manufacturer and/or retailer marketing personnel, advertising agents, etc.) through a Web-based GUI ~~(e.g. located on the WWW at <http://www.brandkeysystems.com/brandkeydisplay/advertisers>)~~, using any Web-enabled client computer subsystem 13. An exemplary GUI for this subsystem 502 is illustrated in Fig. 30. As shown therein, the GUI 620 for subsystem 502 can be realized as a Netscape-style three frame display framework, comprising: a thin upper horizontal display frame 621 containing a graphical image indicating the name of the WWW site (e.g. "BrandKey Display™ Subsystem For Advertisers") at which subsystem 502 is located; a thin vertical control frame 622 having a set of buttons 622A-622G for enabling the various functions provided by subsystem 502; and a large information display frame 623 for displaying HTML-encoded pages used to construct the graphical interfaces associated with the various functions supported by this subsystem.

On Page 231, amend the first paragraph as follows:

In the illustrative embodiment, these functions are supported by the product Kiosk Promotion Marketing/Sales/Management (http) server 508 which is made accessible to promoters (e.g. retailer marketing personnel, manufacturer marketing personnel, etc.) through a Web-based GUI ~~(e.g. located on the WWW at <http://www.brandkeysystems.com/brandkeypromote/promoters>)~~, using any Web-enabled client computer subsystem. An exemplary GUI for this subsystem 503 is illustrated in Fig. 36. As shown therein, the GUI 630 for subsystem 503 can be realized as a Netscape-style three frame display framework, comprising: a thin upper horizontal display frame 631 containing a graphical

image indicating the name of the WWW site (e.g. "BrandKey Promote™ For Promoters") at which subsystem 503 is located; a thin horizontal control frame 632 having a set of buttons 633A through 633G for enabling the various functions provided by subsystem 503; and a large information display frame 634 for displaying HTML-encoded pages used to construct the graphical interfaces associated with the various functions supported by this subsystem.

On Page 236, amend the first paragraph as follows:

In the Internet-based system of Fig. 9, access to each of the four Internet-based subsystem components 501, 502, 503 and 504 described in detail above can be achieved by providing (i) a "system home-page" for the overall functionally-integrated system 2' shown in Figs. 9A through 13, and (ii) individual "subsystem home-pages" for each of the four separate subsystems thereof, wherein hyperlinks are provided between each subsystem home-page and the system home-page. For example, the system home page of for functionally-integrated system (e.g. referred to as the BrandKey™ consumer product marketing, merchandising and education/information system) can be located at a URL such as <http://www.brandkeysystems.com>, whereas the subsystem home page for subsystem 501 can be located at a URL such as <http://www.brandkeycreate.com>, whereas the subsystem home page for subsystem 502 can be located at a URL such as <http://www.brandkeydisplay.com>, whereas the subsystem home page for subsystem 503 can be located at a URL such as <http://www.brandkeypromote.com>, and whereas the subsystem home page for subsystem 504 can be located at a URL such as <http://www.brandkeyrequest.com>.